Product Specification Sheet

Product Name pLV-SFFV-dCas9-VPR-PGK-PURO Lentiviral Vector

Description CRISPR (clustered regularly interspaced short palindromic repeats) activation

(CRISPRa) is a widely used genetic technique that allows for targeted activation of transcription in bacteria and mammalian cells. The CRISPRa system is comprised of a catalytically inactive Cas9 (dCas9) protein fused with a transcriptional activator such as the tripartite fusion of three transcription activation domains: VP64, p65 and Rta (VPR) and a customizable single guide RNA (sgRNA). The Cas9-sgRNA complex binds to DNA elements complementary to the sgRNA and recruits transcription factors to increase gene expression, resulting in the activation of the

target gene.

pLV-SFFV-dCas9-VPR-PGK-PURO Lentiviral Vector expresses the dCas9-VPR fusion with a SFFV promoter and PURO with a PGK promoter to allow for selection of

transduced cells.

Catalog Number DV202

Size 10 μ g at 0.5 μ g/ μ L in TE

Shipping Room temperature

Storage and Stability Store at -20°C immediately upon receipt. This product is stable for 6 months when

stored as directed.

Quality Control This plasmid is sequence verified.

Safety Precaution Remember that you will be working with samples containing infectious virus. Follow

the recommended NIH guidelines for all materials containing BSL-2 organisms. The

ALSTEM Lentiviral Expression System is designed to minimize the chance of generating replication-competent lentivirus, but precautions should still be taken to

avoid direct contact with viral supernatants.


Restricted Use For Research Use Only. Not for use in diagnostic or therapeutic procedures.

Tel: (510) 708-0096 Fax: www.alstembio.com info

Fax: (866) 605-8766 info@alstembio.com

Vector Information

This is a lentiviral expression vector that contains all the elements necessary for efficient and high yield viral production. In this vector, ubiquitous SFFV and PGK promoters drive the expression of the dCas9-VPR fusion protein and PURO, respectively, to allow for the selection of transduced cells. This vector can be used for stable cell line generation or in combination with a gene specifc sgRNA to activate the target gene expression.



Note: Bacterial culture of pLenti vectors should be done in medium containing **50 \mug/mL** Ampicillin. For maximal plasmid yield and quality, we recommend Stbl3 competent cells (Invitrogen).

IMPORTANT NOTICE

Store the vial at -20°C immediately upon receipt.



ALSTEM, INC
2600 Hilltop Drive, BLDG B, STE C328, Richmond, CA 94806
Tel: (510) 708-0096 Fax: (866) 605-8766
www.alstembio.com info@alstembio.com