Product Specification Sheet

Product Name pLenti-CAG-GFP-PGK-Puro Lentiviral Reporter Plasmid

Description Lentivirus vector based on the human immunodeficiency virus-1 (HIV-1) has

become a promising vector for gene transfer studies. Lentiviral vectors packaged as lentiviral particles is one of the most efficient tools to deliver exogenous genes into virtually any types of mammalian cells both in vitro and in vivo. The advantageous feature of lentivirus vector is the ability of gene transfer and integration into dividing and non-dividing cells, with low immune response and toxicity in vivo. These viruses also integrate stably into the host genome, enabling long-term transgene expression. Our 3rd generation lentiviral systems have been designed for

increased researcher safety.

pLenti-CAG-GFP-PGK-Puro Lentiviral Reporter Vector contains GFP reporter driven by CAG promoter and Puromycin is driven by PGK promoter respectively. This reporter vector serves a positive control. The cells transduced by this vector should

display green fluorescence.

Catalog Number LR311

Size 10 μ g at 0.5 μ g/ μ L in TE

Shipping Room temperature

Storage and Stability Store at -20°C immediately upon receipt. This product is stable for 6 months when

stored as directed.

Quality Control This plasmid is sequence verified.

Safety Precaution Remember that you will be working with samples containing infectious virus. Follow

the recommended NIH guidelines for all materials containing BSL-2 organisms. The

ALSTEM Lentiviral Expression System is designed to minimize the chance of

generating replication-competent lentivirus, but precautions should still be taken to

avoid direct contact with viral supernatants.


Restricted Use For Research Use Only. Not for use in diagnostic or therapeutic procedures.



Tel: (510) 708-0096 www.alstembio.com Fax: (866) 605-8766 info@alstembio.com

Vector Information

This is a control lentiviral reporter vector that contains all elements for efficient and high yield viral production. Fluoresent reporter GFP and selection marker Puromycin are driven by promoters CAG and PGK, respectively. The cells transduced by this vector should display green fluorescence.



Note: Bacterial culture of pLenti vectors should be done in medium containing $10 \mu g/mL$ Ampicillin. For maximal plasmid yield and quality, we recommend Stbl3 competent cells (Invitrogen).

IMPORTANT NOTICE

Store the vial at -20°C immediately upon receipt.



ALSTEM, INC

2600 Hilltop Drive, BLDG B, STE C328, Richmond, CA 94806

Tel: (510) 708-0096 Fax: (866) 605-8766 www.alstembio.com info@alstembio.com